



Context and Rationale for Non-Targeted Analysis (NTA) and Other Total PFAS Methods

12:30 p.m. – 1:30 p.m.

Susan Burden, Ph.D., ORD PFAS Executive Lead, EPA

Jody Shoemaker, Ph.D., Research Chemist, EPA

Timothy J. Buckley, Ph.D., Senior Science Advisor, Center for Computational Toxicology and Exposure, EPA



The Public Health Stakes of Total PFAS Methods

Timothy J. Buckley, PhD

Senior Advisor

Center for Computational Toxicology & Exposure

Total PFAS Methods Workshop
Virtual Meeting
October 27, 2021




The views expressed in this presentation are those of the authors and do not necessarily reflect the views or policies of the U.S. Environmental Protection Agency

If it can't be measured, it is as though it does not exist.

What are the implications for:

- PFAS manufacturing
- Human exposure
- Public health
- Regulation




For example, the Washington et al. 2020 discovery of PFAS congeners chloro perfluoro polyether carboxylate

Presentation Flow




- Public health and the larger chemical pollutant context
- The parallel PFAS universe
- The gap: PFAS measured vs likely environmental occurrence?
- The NC Cape Fear River case-in-point
- Summary



Public Health Context

- Pollution is known to be a leading public health threat
- A large proportion of the environment-attributed disease is of unknown etiology
- Effects likely underestimated
- Exposure and effects are poorly understood
- Chemical production and release to the environment vastly outpace ability to test and measure



Source: Landrigan et al. 2017

Public Health Context



- Pollution is known to be a leading public health threat
- A large proportion of the environment-attributed disease is of unknown etiology
- Effects likely underestimated
- Exposure and effects are poorly understood
- Chemical production and release to the environment vastly outpace ability to test and measure




Fig 1. Population attributable fractions (PAFs) for 28 disease phenotypes estimated from studies of monozygotic twins. Sources of data and statistics are summarized in [Table 2](#).

Source: Rappaport, 2016

Public Health Context



- Pollution is known to be a leading public health threat
- A large proportion of the environment-attributed disease is of unknown etiology
- Effects likely underestimated
- Exposure and effects are poorly understood
- Chemical production and release to the environment vastly outpace ability to test and measure




Figure 3: The pollutome


Source: Landrigan et al., 2017

Public Health Context

- Pollution is known to be a leading public health threat
- A large proportion of the environment-attributed disease is of unknown etiology
- Effects likely underestimated
- Exposure and effects are poorly understood
- Chemical production and release to the environment vastly outpaces ability to test and measure



Chemicals Registered for Production and Use Across 19 Countries



Source: Wang et al. 2020

Habitable Planet



- Chemical pollution identified as “not yet quantified” as one of ten planetary boundaries
- Earth has limited capacity to assimilate chemical pollution
- Impacts on human health and ecosystems
- Quantifying chemical environmental burden is essential

Diamond et al. 2015





Figure 1 | Beyond the boundary. The inner green shading represents the proposed safe operating space for nine planetary systems. The red wedges represent an estimate of the current position for each variable. The boundaries in three systems (rate of biodiversity loss, climate change and human interference with the nitrogen cycle), have already been exceeded.

Rockstrom et al. 2009

Parallels of the PFAS and Chemical Landscape



Source



ITRC
50 F St. NW, Suite 350
Washington, DC 20001
itrcweb.org




Figure 3: The pollutome

Source: Landrigan et al., 2017

What is the PFAS Universe?



It depends on who you ask / how you define

- **Potential for environmental release/exposure?**
 - Defining classification and nomenclature (Buck et al. 2011)
 - Number of chemicals estimated as >3000 (Wang et al. 2017)
 - OECD lists 4730 PFAS (OECD, 2018)
 - TSCA lists 1346 with 669 active (FRN 2021-13180)
 - EPA's Chem Dashboard: 33 lists of PFAS with the number on list ranging from 8 to 9252 (https://comptox.epa.gov/dashboard/chemical_lists)

Perfluoroalkyl and Polyfluoroalkyl Substances (PFASs)	
Non-Polymers	Polymers
Perfluoroalkyl Substances Table 2 <i>Compounds for which all hydrogens on <u>all</u> carbons (except for carbons associated with functional groups) have been replaced by fluorines</i> ▪ (Aliphatic) perfluorocarbons (PFCs) ▪ Perfluoroalkyl acids ▪ Perfluoroalkane sulfonyl fluorides ▪ Perfluoroalkane sulfonamides ▪ Perfluoroalkyl iodides ▪ Perfluoroalkyl aldehydes	Fluoropolymers Table 4 <i>Carbon-only polymer backbone with fluorines directly attached</i>
Polyfluoroalkyl Substances Table 3 <i>Compounds for which all hydrogens on <u>at least one (but not all)</u> carbon have been replaced by fluorines</i> ▪ Perfluoroalkane sulfonamido derivatives ▪ Fluorotelomer-based compounds ▪ Semifluorinated <i>n</i>-alkanes and alkenes	Perfluoropolyethers <i>Carbon and oxygen polymer backbone with fluorines directly attached to carbon</i>
	Side-chain Fluorinated Polymers <i>Variable composition non-fluorinated polymer backbone with fluorinated side chains</i> ▪ Fluorinated acrylate and methacrylate polymers ▪ Fluorinated urethane polymers ▪ Fluorinated oxetane polymers



What is the PFAS Universe?

- **What we observe**

- Multimedia Monitoring Database (MMDB) n=43 (Isaacs et al. in preparation)
- NHANES 2011-2018 n=16 (https://www.cdc.gov/exposurereport/pfas_early_release.html)
- UCMR3 n=6; UCMR5 n=29 (<https://www.epa.gov/dwucmr>)
- EPA Drinking Water Methods 533 & 537.1 n=29 (https://www.epa.gov/sites/default/files/2019-12/documents/table_of_pfas_methods_533_and_537.1.pdf)
- PFAS Analytical Standards <100 (McDonough et al. 2018)



What is the Gap: Targeted vs Total?

- **Firehouse dust (Massachusetts):** $\sum_{24}$ PFAS quantified in 39 samples from 15 stations represented **1.2%** of total PFAS measured by particle-induced gamma ray emission (PIGE) (Young et al. 2021)
- **Swedish cosmetics.** $\sum_{39}$ PFAS quantified in 28 cosmetics represented **<1.3%** of extractable organofluorine (EOF) and 11–28% in three other cosmetics with the highest concentrations. The EOF only accounted for an average 9% of total fluorine, which, unlike EOF, would include inorganic fluoride and any PFAS or other organofluorine compounds that were not extractable (Schultes et al. 2018)
- **Papers & textiles.** $\sum_{73}$ ionic PFAS accounted for up to **0.41%** of total fluorine; volatile PFASs accounted for 0.021-14 of the total nmol F/cm² determined by PIGE (Robel et al. 2017)
- **Food packaging.** $\sum_{44}$ PFAS explained up to **0.28%** of EOF and **0.011%** of total fluorine in a small Swedish study of disposable food packaging (Schultes et al. 2019)
- **Japan coastal sea water.** 60–90% of organic fluorine unknown (Miyak et al. 2007)
- **Human serum (Swedish population n=130).** $\sum_{63}$ PFAS explained 40% and 51% of EOF in women and men, respectively (Aro et al. 2021)

How Big is Our PFAS Blind Spot



- The ratio of “likely occurring” (1000s) to “observable” (10s) on the order of 100

How Big is Our PFAS Blind Spot



- The ratio of “likely occurring” (1000s) to “observable” (10s) on the order of 100

Analogy to navigating public health with PFAS exposure blind spots



How Big is Our PFAS Blind Spot



- The ratio of “likely occurring” (1000s) to “observable” (10s) on the order of 100

Analogy to navigating public health with PFAS exposure blind spots



PFAS Health Concerns




- Evidence available for limited number of PFAS
 - perfluorooctane sulfonic acid (PFOS)
 - perfluorooctanoic acid (PFOA)
 - perfluorohexane sulfonic acid (PFHxS), and
 - perfluorononanoic acid (PFNA)
- Laboratory animal evidence shows changes in liver, thyroid, immune and pancreatic function
- Epidemiologic evidence (associative)
 - Pregnancy-induced hypertension/pre-eclampsia (PFOA, PFOS)
 - Increases in serum hepatic enzymes, particularly alanine aminotransferase (ALT), and decreases in serum bilirubin levels (PFOA, PFOS, PFHxS)
 - Increases in serum lipids, particularly total cholesterol and low-density lipoprotein (LDL) cholesterol (PFOA, PFOS, PFNA, PFDA)
 - Decreased antibody response to vaccines (PFOA, PFOS, PFHxS, PFDA)
 - Cancers of the testis and kidney (PFOA)

Source: ATSDR (2021) Toxicological Profile for Perfluoroalkyls


Motivation for Total PFAS Methods

- Greatly expanded PFAS chemical space measurement window
- Timeliness of measurement capability relative to release, occurrence, exposure, and risk
 - We can not assess the health concern of a contaminant that we can not measure
 - This lag can be decades long
 - During this lag, public health is vulnerable
 - Total PFAS methods can eliminate or greatly reduce this lag



Motivation for Total PFAS Methods

- Greatly expanded PFAS chemical space measurement window
- Timeliness of measurement capability relative to release, occurrence, exposure, and risk
 - We can not assess the health concern of a contaminant that we can not measure
 - Lag between discharge and measurement capability can be decades long
 - During this lag, public health is vulnerable
 - Total PFAS methods can eliminate or greatly reduce this lag



Cape Fear River Case-in-Point



November 2015

Article

pubs.acs.org/est

Identification of Novel Perfluoroalkyl Ether Carboxylic Acids (PFECAs) and Sulfonic Acids (PFESAs) in Natural Waters Using Accurate Mass Time-of-Flight Mass Spectrometry (TOFMS)


Mark Strynar,^{*,†} Sonia Dagnino,^{†,‡} Rebecca McMahan,^{†,‡} Shuang Liang,^{†,‡} Andrew Lindstrom,[†] Erik Andersen,[†] Larry McMillan,[§] Michael Thurman,^{||} Imma Ferrer,^{||} and Carol Ball[⊥]

Table 1. Accurate Mass of Polyfluorinated Compounds and In-Source Artifacts Found in Extracted Water Samples


number	formula	CAS no.	name	[M] ^a	[M - H] ⁻ m/z	[2M - 2H + Na] ⁻ m/z	[2M - H] ⁻ m/z
Monoether PFECAs							
1	C ₃ HF ₅ O ₃			179.9846	178.9773	380.9438	358.9619
2	C ₄ HF ₇ O ₃			229.9813	228.9740	480.9372	458.9553
3	C ₅ HF ₉ O ₃	863090-89-5		279.9782	278.9709	580.9310	558.9491
4	C ₆ HF ₁₁ O ₃	13252-13-6	undecafluoro-2-methyl-3-oxahexanoic acid	329.9750	328.9677	680.9247	658.9427
5	C ₇ HF ₁₃ O ₃			379.9718	378.9645	780.9182	758.9363
6	C ₈ HF ₁₅ O ₃			429.9686	428.9613	880.9118	858.9299
Polyether PFECAs							
7	C ₇ HF ₁₃ O ₇	39492-91-6	perfluoro-3,5,7,9,11-pentaoxadodecanoic acid	443.9515	442.9442	908.8776	886.8957
8	C ₆ HF ₁₁ O ₆	39492-90-5	perfluoro-3,5,7,9-butoxadecanoic acid	377.9598	376.9525	776.8942	754.9123
9	C ₅ HF ₉ O ₅	39492-89-2	perfluoro-3,5,7-propaoxaoctanoic acid	311.9681	310.9608	644.9108	622.9289
10	C ₄ HF ₇ O ₄	39492-88-1	perfluoro-3,5-dioxahexanoic acid	245.9764	244.9691	512.9274	490.9455
PFESAs							
11	C ₇ HF ₁₃ O ₅ S	66796-30-3 ^b		443.9337	442.9264		
12	C ₇ H ₂ F ₁₄ O ₅ S			463.9399	462.9326		




Example Structures



Monoether (6):
GenX (HFPO-DA)



Polyethers (4):




Polyethers
sulfonates (2):

GenX Quantified



- GenX found in drinking water downstream of Chemours



November 2016

Letter

pubs.acs.org/journal/estlcu


Legacy and Emerging Perfluoroalkyl Substances Are Important Drinking Water Contaminants in the Cape Fear River Watershed of North Carolina

Mei Sun,^{*,†,‡,§} Elisa Arevalo,[‡] Mark Strynar,[§] Andrew Lindstrom,[§] Michael Richardson,^{||} Ben Kearns,^{||} Adam Pickett,[⊥] Chris Smith,[#] and Detlef R. U. Knappe[‡]

GenX Quantified



- GenX found in drinking water downstream of Chemours



November 2016


Letter

pubs.acs.org/journal/estlcu

Legacy and Emerging Perfluoroalkyl Substances Are Important Drinking Water Contaminants in the Cape Fear River Watershed of North Carolina

Mei Sun,^{*,†,‡,§} Elisa Arevalo,[‡] Mark Strynar,[§] Andrew Lindstrom,[§] Michael Richardson,^{||} Ben Kearns,^{||} Adam Pickett,⁺ Chris Smith,[#] and Detlef R. U. Knappe[‡]

- Effectiveness of treatment at a conventional WTP



- 
- ENVIRONMENTAL
Science & Technology LETTERS

Letter

Legacy and Emerging Perfluoroalkyl Substances Are Important Drinking Water Contaminants in the Cape Fear River Watershed of North Carolina

Community A
n=127

Community B
n=73

Community C
n=34

Pittsboro, NC

Fayetteville, NC

Wilmington, NC

PFBA

PFPeA

PFHxA

PFHpA

PFOA

PFNA

PFDA

PFBS

PFHxS



PFOS

PFPrOPrA

Average concentration in drinking water source (ng/L)

PFPrOPrA ("GenX")

- And “tip of the iceberg” of total PFAS present





Summary

- PFAS archetypal of chemical threat to public health and habitable planet
 - Chemical landscape is vast and unknown
- Targeted/traditional measurement methods capture small percentage of PFAS likely present
- Total PFAS methods complement targeted methods and will advance public health interest
 - Greatly expanded exposure / occurrence window
 - Shortens time from release to detection

References



- Aro R, Eriksson U, Kärrman A, Yeung LWY. Organofluorine Mass Balance Analysis of Whole Blood Samples in Relation to Gender and Age. *Environ Sci Technol*. 2021 Oct 5;55(19):13142-13151. doi: 10.1021/acs.est.1c04031. Epub 2021 Sep 14. PMID: 34520171; PMCID: PMC8495894.
- ATSDR (2021): Toxicological Profile for Perfluoroalkyls (<https://www.atsdr.cdc.gov/ToxProfiles/tp200.pdf>)
- Buck, R.C., Franklin, J., Berger, U., et al. (2011). Perfluoroalkyl and Polyfluoroalkyl Substances in the Environment: Terminology, Classification, and Origins. *Integrated Environmental Assessment and Management*. 7. 513-541.
- Diamond ML, de Wit CA, Molander S, Scheringer M, Backhaus T, Lohmann R, Arvidsson R, Bergman Å, Hauschild M, Holoubek I, Persson L, Suzuki N, Vighi M, Zetzsch C. Exploring the planetary boundary for chemical pollution. *Environ Int*. 2015 May;78:8-15. doi: 10.1016/j.envint.2015.02.001. Epub 2015 Feb 10. PMID: 25679962.
- Federal Register 86:121 (June 28, 2021) p. 33928.
- Isaacs KK, Wall JT, Williams AR, Hobbie KA, Sobus JR, Ulrich E, Lyons D, Dionisio KL, Williams AJ, Grulke C, Foster C, McCoy J, Bevington C. A Harmonized Chemical Monitoring Database for Support of Exposure Assessments. Submitted, *Nature Scientific Data*.
- Landrigan PJ et al.: The *Lancet* Commission on pollution and health. *The Lancet*. 2017 [http://dx.doi.org/10.1016/S0140-6736\(17\)32345-0](http://dx.doi.org/10.1016/S0140-6736(17)32345-0)
- McDonough CA, Guelfo JL, Higgins CP. Measuring Total PFASs in Water: The Tradeoff between Selectivity and Inclusivity. *Curr Opin Environ Sci Health*. 2019 Feb;7:13-18. doi: 10.1016/j.coesh.2018.08.005. Epub 2018 Aug 30. PMID: 33103012; PMCID: PMC7584354.
- Miyake Y, Yamashita N, Rostkowski P, So MK, Taniyasu S, Lam PK, Kannan K. Determination of trace levels of total fluorine in water using combustion ion chromatography for fluorine: a mass balance approach to determine individual perfluorinated chemicals in water. *J Chromatogr A*. 2007 Mar 2;1143(1-2):98-104. doi: 10.1016/j.chroma.2006.12.071. Epub 2006 Dec 23. PMID: 17229428.
- OECD (2018), TOWARD A NEW COMPREHENSIVE GLOBAL DATABASE OF PER- AND POLYFLUOROALKYL SUBSTANCES (PFASs)
- Rappaport SM. Genetic Factors Are Not the Major Causes of Chronic Diseases. *PLoS One*. 2016 Apr 22;11(4)
- Robel AE, Marshall K, Dickinson M, Lunderberg D, Butt C, Peaslee G, Stapleton HM, Field JA. Closing the Mass Balance on Fluorine on Papers and Textiles. *Environ Sci Technol*. 2017 Aug 15;51(16):9022-9032. doi: 10.1021/acs.est.7b02080. Epub 2017 Jul 28. PMID: 28712295.
- Rockström et al. A safe operating space for humanity. *Nature*. 2009 Sep 24;461(7263):472-5. doi: 10.1038/461472a. PMID: 19779433.
- Schultes L, Vestergren R, Volkova K, Westberg E, Jacobson T, Benskin JP. Per- and polyfluoroalkyl substances and fluorine mass balance in cosmetic products from the Swedish market: implications for environmental emissions and human exposure. *Environ Sci Process Impacts*. 2018 Dec 12;20(12):1680-1690. doi: 10.1039/c8em00368h. PMID: 30427048.
- Schultes L, Peaslee GF, Brockman JD, Majumdar A, McGuinness SR, Wilkinson JT, Sandblom O, Ngwenyama RA, Benskin JP. *Environmental Science & Technology Letters* 2019 6 (2), 73-78
DOI: 10.1021/acs.estlett.8b00700
- Strynar M, Dagnino S, McMahan R, Liang S, Lindstrom A, Andersen E, McMillan L, Thurman M, Ferrer I, Ball C. Identification of Novel Perfluoroalkyl Ether Carboxylic Acids (PFECAs) and Sulfonic Acids (PFESAs) in Natural Waters Using Accurate Mass Time-of-Flight Mass Spectrometry (TOFMS). *Environ Sci Technol*. 2015
- Sun M; Arevalo E; Strynar M; Lindstrom A; Richardson M; Kearns B; Pickett A; Smith C; Knappe DRU: Legacy and Emerging Perfluoroalkyl Substances Are Important Drinking Water Contaminants in the Cape Fear River Watershed of North Carolina. *Environmental Science & Technology Letters*. 2016
- Wang Z, Walker GW, Muir DCG, Nagatani-Yoshida K. Toward a Global Understanding of Chemical Pollution: A First Comprehensive Analysis of National and Regional Chemical Inventories. *Environ Sci Technol*. 2020 Mar 3;54(5):2575-2584. doi: 10.1021/acs.est.9b06379. Epub 2020 Feb 14. PMID: 31968937.
- Wang, Z., J. C. DeWitt, C. P. Higgins, and I. T. Cousins. 2017. "A Never-Ending Story of Per- and Poly-Fluoroalkyl Substances (PFASs)?" *Environmental Science and Technology* 51: 2508-2518.
- Young AS, Sparer-Fine EH, Pickard HM, Sunderland EM, Peaslee GF, Allen JG. Per- and polyfluoroalkyl substances (PFAS) and total fluorine in fire station dust. *J Expo Sci Environ Epidemiol*. 2021 Sep;31(5):930-942. doi: 10.1038/s41370-021-00288-7. Epub 2021 Feb 5. PMID: 33542478; PMCID: PMC8339150.



Thank you!

Questions?